
ASI391004 Ring Lug Terminal Block



The ASI391004 is a NEMA style ring lug terminal block with a UL rating of 40A, 600V. The ring terminal M4 screw size accepts wires terminated directly under the rectangular flat washer or wires equipped with ring, fork or spade lugs. The modular DIN rail mounting of the ASI391004 11.5mm wide NEMA style terminal block allows for assembling any number of circuits together. The center of the barrier strip type NEMA terminal block is designed to accept a snap in label for easy visual circuit identification. Other models of the NEMA style DIN rail mount terminal block include up to 309A, double level, and sliding link disconnect.

	Certifications	
		c UL us
	Specifications	
	Terminal Screw Thread Type	M4
	Terminal Screw Thread Length	10mm
	Torque	12 - 16 Lb-In
	Wire Size (AWG):	#16 Sol/Str, 14-10 Sol/Str
	Current Rating:	40A
	Voltage Rating:	600V
	Dimensions (HxWxD):	29x11.5x40mm
	**Accessories:**	
	Plug-In Jumpers:	
	2 pos	ASI393019
	3 pos	ASI393020
	4 pos	ASI393021
	5 pos	ASI393022
	6 pos	ASI393023
	10 pos	ASI393024
	End Bracket:	**ASI392001**
	DIN Rail (2 meters)	
	7.5 x 35mm slotted	
	7.5 x 35mm non-slotted	
	15 x 35mm slotted	
	15 x 35mm non-slotted	
	Labels	**ASI394006**